Page 1 of 1

INFORMATI	ON	DISCLOSURE
TITATION IN	ΔN	APPLICATION

Att'y Ref: Serial No: 10/586,822 Y03-097US Nat

Applicant: CHENG, Yung-chi et al.

Filing Date: 07/19/2006 Art Unit:

United States Patent Documents						
Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date

Foreign Patent Documents							
		Publication	Country	Class	Subclass	Translation	
Initial	Number	Date				Yes	No

Examiner Initial	Other Documents (by Title, Author Date, Pertinent Pages, Etc.)
	German, U. A. P-glycoproteina mediator of multidrug resistance in tumour cells. Eur J Cancer 1996, 32A, 927-944
	Gottesman, M. M.; Pastan, I. Biochemistry of multidrug resistance mediated by the multidrug transporter. Annu Rev Biochem 1993, 62, 385-427

Examiner:	Date Considered:			
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered; Include a copy of this form with next communication to the applicant.				

Page 2 of 1

 Page 2 01 1
Thiebaut, F.; Tsuruo, T.; Hamada, H.; Gottesman, M. M.; Pastan, I. et al. Cellular localization of the multidrug-resistance gene product P-glycoprotein in normal human tissues. <i>Proc Natl Acad Sci USA</i> 1987 , <i>84</i> , 7735-7738
Borst, P.; Schinkel, A. H. What have we learnt thus far from mice with disrupted P-glycoprotein genes? Eur J Cancer 1996, 32A, 985-990
Luker, G. D.; Nilsson, K. R.; Covey, D. F.; Piwmica-Worms, D. Multidrug resistance (MDRI) P-glycoprotein enhances esterification of plasma membrane cholesterol. J Buol Chem 1999, 274, 6979-6991
Dalton, W. S.; Grogan, T. M.; Meltzer, P. S.; Scheper, R. J.; Dude, B. G. et al. Drug-resistance in multiple myeloma and non-Hodgkin's lymphoma: detection of P-glycoprotein and potential circumvention by addition of verapamil to chemotherapy. J Clin Oncol 1989, 7, 415-424
Miller, T. P.; Grogan, T. M.; Dalton, W. S.; Spier, C. M.; Scheper, R. J. et al. P.glycoprotein expression in malignant lymphom and reversal of clinical drug resistance with chemotherapy plus high-dose verapamil. J Clin Oncol 1991, 9, 17-24.
Nuessler, V.; Scheulen, M. E.; Oberneder, R.; Kriegmair, M.; Goebel, K, J. et al. Phase I and pharmacokinetic study of the P-glycoprotein modulator dexniguldipine-HCL. Eur J Med Res 1997, 2, 55-61
Wilson, W. H.; Jamis-Dow, C.; Bryant, G.; Balis, F. M.; Klecker, R. W. et al. Phase I and pharmacokinetic study of the multidug resistance modulator dexverapamil with EPOCH chemotherapy. J Clin Oncol 1995, 13, 1985-1994
Hyafil, F.; Vergely, C.; Du Vignaud, P.; Grand-Perret, T. In vitro and in vivo reversal of multidrug resistance by GF120918, an acridonecarboxamide derivative. Cancer Res 1993, 53, 4595-4602
Boesch, D., Gaveriaux, C.; Jachez, B.; Pourtier-Manzanedo, A.; Bollinger, P. et al. In vivo circumvention of P-glycoprotein-mediated multidrug resistance of tumor cells with SDZ PSC 833. Cancel Res 1991, 51, 4226-4233
Ramu, A.; Spanier, R.; Rahamimoff, H.; Fuks, Z. Restoration of doxorubicin responsiveness in doxorubicin-resistant P388 murine leukaemia cells. Br J Cancer 1984, 50, 501-507
Middleton, E., Jr.; Kandaswami, C.; Theoharides, T. C. The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, and cancer. <i>Pharmacol Rev</i> 2000, 52, 673-751.
Bailey, D. G.; Malcolm, J.; Arnold, 0.; Spence, J. D. Grapefruit juice-drug interactions. Br J Clin Pharmacol 1998, 46, 101-110
Ducharme, M. P.; Warbasse, L. H.; Edwards, D. J. Disposition of intravenous and oral cyclosporine after administration with grapefruit juice. Clin Pharmacol The? 1995, 57, 485-491
De Vincenzo, R.; Scambia, G.; Benedetti Panici, P.; Ranelletti, F. 0.; Bonanno, G. et al. Effect of synthetic and naturally occurring chalcones on ovarian cancer cell growth: structure-activity

Examiner:	Date Considered:			
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation of				

not in conformance and not considered; Include a copy of this form with next communication to the applicant.

Page 3 of 1

 Page 3 of 1
 relationships. Anticancer Drug Des 1995, 10, 481-490
Murakami, S.; Muramatsu, M.; Tomisawa, K. Inhibition of gastric H+, K(+)-ATPase by flavonoids: a structure-activity study. <i>J Enzyme brhib</i> 1999, 14, 151-166
Akiyama, T.; Ishida, J.; Nakagawa, S.; Ogawara, H.; Watanabe, S. et al. Genistein, a specific inhibitor of tyrosine-specific protein kinases. <i>J Biol Chem</i> 1987, 262, 5592-5595
De Azevedo, W. F., Jr.; Mueller-Diecicmann, H. J.; Schulze-Gahmen, U.; Worland, P. J.; Sausville, E. et al. Structural basis for specificity and potency of a flavonoid inhibitor of human CDK2, a cell cycle kinase. <i>Proc Natl Acad Sci USA</i> 1996, 93, 2735-2740
Boumendjel, A.; Di Pietro, A.; Dumontet, C.; Barron, D. Recent advances in the discovery of flavonoids and analogs with high-affinity binding to P-glycoprotein responsible for cancer cell multidrug resistance. <i>Med Res Rev 2002</i> , 22, 512-529
Conseil, G.; Baubichon-Cortay, H.; Dayan, G.; Jault, J. M.; Barron, D. et al. Flavonoids: a class of modulators with bifunctional interactions at vicinal ATP- and steroid-binding sites on mouse P-glycoprotein. Proc Natl Acad Sci USA 1998, 95, 9831-9836
Perez-Victoria, J. M.; Perez-Victoria, F. J.; Conseil, G; Maitrejean, M.; Comte, G. et al. High- affinity binding of silybin derivatives to the nucleotide-binding domain of a Leishmania tropica P-glycoprotein-like transporter and chemosensitization of a multidrugresistant parasite to daunomycin. Antimicrob Agents Chemother 2001, 43, 439-446
Thiyagarajah, P.; Kuttan, S. C.; Lim, S. C.; Teo, T. S.; Das, N. P. Effect of myricetin and other flavonoids on the liver plasma membrane Ca++ pump. Kinetics and structure-function relationships. <i>Biochem Pharmacol</i> 1991. 41, 669-675
Hirano, T.; Oka, K.; Akiba, M. Effects of synthetic and naturally occurring flavonoids on Na+,K+-ATPase: aspects of the structure-activity relationship and action mechanism. <i>Life Sci</i> 1989, 45, 1111-1117
Jinsart, W.; Ternai, B.; Polya, G. M. Inhibition of rat liver cyclic AMP-dependent protein kinase by flavonoids. <i>Biol Chem Hoppe Seyler 1992</i> , 373, 205-211
Ferriola, P. C.; Cody, V; Middleton, E., Jr. Protein kinase C inhibition by plant flavonoids. Kinetic mechanisms and structure-activity relationships. Biochein Pharmacol 1989, 38, 1617-1624
Hagiwara, M.; Inoue, S.; Tanaka, T.; Nunoki, K.; Ito, M. et al. Differential effects of flavonoids as inhibitors of tyrosine protein kinases and serine/threonine protein kinases. <i>Biochem Pharmacol</i> 1988, 37, 2987-2992
Perez-Victoria, J. M.; Chiquero, M. J.; Conseil, G.; Dayan, G.; Di Pietro, A. et al. Correlation between the affinity of flavonoids binding to the cytosolic site of Leishmania tropica multidrug transporter and their efficiency to revert parasite resistance to daunomycin. <i>Biochemistry</i> 1999, 38, 1736-1743
Lo, A.; Burckart, G. J. P-glycoprotein and drug therapy in organ transplantation. J Clin Pharniacol 1999, 39, 995-1005

Examiner:	Date Considered:

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered; Include a copy of this form with next communication to the applicant.

Receipt date: 10/16/2006

Page 4 of 1

 Page 4 of 1
Wang, R. B.; Kuo, C. L.; Lien, L. L.; Lien, E. J. Structure-activity relationship: analyses of p-glycoprotein substrates and inhibitors. <i>J Clin Pharm Ther</i> 2003, 28, 203-228
Di Pietro, A.; Conseil, G; Perez-Victoria, J. M.; Dayan, G.; Baubichon-Cortay, H. et al. Modulation by flavonoids of cell multidrug resistance mediated by P-glycoprotein and related ABC transporters. Cell Mol Life Sci 2002, 59, 307-322
Chambers, T. C.; Pohl, J.; Raynor, R. L.; Kuo, J. F. Identification of specific sites in human P-glycoprotein phosphorylated by protein kinase C. J Biol Chemr 1993, 268, 4592-4595
Callaghan, R.; Higgins, C. F. Interaction of tamoxifen with the multidrug resistance P-glycoprotein. Br J Cancer 1995, 71, 294-299
Smith, C. D.; Zilfou, J. T. Circumvention of P-glycoprotein-mediated multiple drug resistance by phosphorylation modulators is independent of protein kinases. <i>JBiol Chem 1995</i> , 270, 28145-28152
 Conseil, G.; Perez-Victoria, J. M.; Jault, J. M.; Gamarro, E; Goffeau, A. et al. Protein kinase C effectors bind to multidrug ABC transporters and inhibit their activity. <i>Biochemistry</i> 2001, 40, 2564-2571
Dayan, G.; Jault, J. M.; Baubichon-Cortay, H.; Baggetto, L. G.; Renoir, J. M. et al. Binding of steroid modulators to recombinant cytosolic domain from mouse P-glycoprotein in close proximity to the ATP site. Biochemistry 1997, 36, 15208-15215
 Chen, H. X.; Bamberger, U.; Heckel, A.; Guo, X.; Cheng, Y. C. BIBW 22, a dipyridamole analogue, acts as a bifunctional modulator on tumor cells by influencing both P-glycoprotein and nucleoside transport. Cancer Res 1993, 33, 1974-1977
Park, S. Y.; Lam, W.; Cheng, Y. C. X-ray repair cross-complementing gene 1 protein plays an important role in camptothecin resistance. <i>Cancer Res</i> 2002, 62, 459-465

١	Examiner:		Date Considered:	
ĺ	Examiner.	/Brian Yong Kwon/	Date Considered.	03/14/2010

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered; Include a copy of this form with next communication to the applicant.